CORRIGENDUM No. 2
SUPPLY TENDER DOSSIER

EuropeAid/128710/D/SUP/HR

Contract title: "Development of the Probation Services in Croatia - supply of equipment"

Croatia

In the ANNEX II + III : TECHNICAL SPECIFICATIONS + TECHNICAL OFFER – Part I, launched on 24/09/2010, the following lines of the Lot 1 - Item 1 are modified and replaced by the following text:

Instead of:

LOT 1 - Centralized Server Equipment

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
1	**Servers**	**Quantity: 6**			
	Manufacturer's name:				
	Product type, model:				
	Processor	Two quad core series X86 processors, 2.4 GHz, 8 Mb Cache			
	Memory	16 GB, UDIMM, DDR3 1066MHz			
	Internal storage	5 x 450 Gb SAS, HotPlug,15k rpm			
	Raid	RAID 0, 1, 5, 6, 10, 50, 60			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Network	Dual 10/100/1000 Ethernet			
	Fibre (storage) adapters	2 fibre channel 4Gb dual port adapters			
	Power supply	2 x 675W (220V/50Hz) Hot-Plug redundant power supply			
	Expansion slots	1 x PCI Express (x16), 2 x PCI Express (x8), 1 x PCI Express (x4)			
	Video	16 Mb video Memory			
	Availability	Hot-plug hard drives Hot-plug redundant power Hot-plug redundant cooling Support for internal tape device Tool-less chassis Cluster support			
	System Management	Integrated systems management processor, LED panel for failing component indication Automatic Server Restart			
	Security	Power on password, unattended startup, selectable boot sequence, mechanical lock			
	Additional software	Software tool for operating systems installation Software tool for systems management			
	Keyboard	CRO, PS/2 or USB			
	Operating system	Windows Server 2008 R2, preinstalled and licensed, RESTORE-CD and documentation included or equivalent			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Certificates	The offered product must bear a CE marking symbolising conformity with all applicable Community provisions and directives. An appropriate certificate concerning design and production of computers is required(such as ISO 9001).			
	Installation, testing and startup	Supplier must execute all necessary procedures to install all equipment from LOT 1, establish interconnection between all parts of equipment, do basic functional testing and verification and provide all additional equipment to ensure fully working environment (cables, connectors, peripherals etc.) according to instructions provided by the beneficiary before delivery.			

Read:

LOT 1 - Centralized Server Equipment

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
1	**Servers**	**Quantity: 6**			
	Manufacturer's name:				
	Product type, model:				
	Processor	Two quad core series X86 processors, 2.4 GHz, 8 Mb Cache			
	Memory	16 GB, UDIMM, DDR3 1066MHz			
	Internal storage	5 x 450 Gb SAS, HotPlug,15k rpm			
	Raid	RAID 0, 1, 5, 6, 10, 50, 60			
	Network	Dual 10/100/1000 Ethernet			
	Fibre (storage) adapters	2 fibre channel 4Gb dual port adapters			
	Power supply	2 x 675W (220V/50Hz) Hot-Plug redundant power supply			
	Chassis	19" rack 2-5 U			
	Expansion slots	2 x PCI Express (x8), 1 x PCI Express (x4)			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Video	16 Mb video Memory			
	Availability	Hot-plug hard drives Hot-plug redundant power Hot-plug redundant cooling Tool-less chassis Cluster support			
	System Management	Integrated systems management processor, LED panel for failing component indication Automatic Server Restart			
	Security	Power on password, unattended startup, selectable boot sequence, mechanical lock			
	Additional software	Software tool for operating systems installation Software tool for systems management			
	Keyboard	CRO, PS/2 or USB			
	Operating system	Windows Server 2008 R2, preinstalled and licensed, RESTORE-CD and documentation included or equivalent			
	Certificates	The offered product must bear a CE marking symbolising conformity with all applicable Community provisions and directives. An appropriate certificate concerning design and production of computers is required(such as ISO 9001).			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Installation, testing and startup	Supplier must execute all necessary procedures to install all equipment from LOT 1, establish interconnection between all parts of equipment, do basic functional testing and verification and provide all additional equipment to ensure fully working environment (cables, connectors, peripherals etc.) according to instructions provided by the beneficiary before delivery.			

In the ANNEX II + III : TECHNICAL SPECIFICATIONS + TECHNICAL OFFER – Part I, launched on 24/09/2010, the following lines of the Lot 2 - Item 1 are modified and replaced by the following text:

Instead of:

LOT 2 – Relation Database Management System

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO	1. Item Number
1	**Relation Database Management System**	**Quantity: 1**			
	Manufacturer's name:				
	Product type, model:				
	Licenses	Type: per processor Quantity: for 2 x 2 Quad Core X86 CPU			
	Data Integrity	The RDBMS should provide an embedded mechanism for guaranteeing data integrity. It should provide use of integrity constraints and user defined event triggers			
	Stored program units	The RDBMS must provide a capability for creating stored program units. The database should support stored procedures.			
	Portability across platforms	The RDBMS should be able to be installed and operate on x86 architecture and Windows server or equivalent OS			

	Availability	The system should be able to effectively utilize clustered servers for availability.			
	Scalability	The system should be able to utilize clustered servers for increasing its power. This should be done in a manner, which does not require any changes in the applications, running on top of the database, nor in the layout of the database, data model and data itself.			
	XML Support	The RDBMS should provide native, embedded in the RDBMS XML support.			
	Object features	The database management system should provide capability for creating and using user defined object data types. The system should be able to present the existing relational structures in an object way.			
	Security	The RDBMS should be multi-user system. As such, it must provide all the standard security features, such as username/password authentication of the users and flexible rights management.			
	User errors protection	The RDBMS should be able to flash back in time and query the data in the way they have been specified time ago, within predefined time frame.			
	Partitioning	The RDBMS shall support the features of the partitioning.			
	Management tools	The RDBMS should provide a GUI tool or set of tools, enabling faster and easier database management. Command line management tools however should be also available, for executing management scripts in batch mode and ensuring better control			
	Standard Reporting tool	A generic reporting tool compatible with the RDBMS			

	Certificates	The offered product should bear a CE marking symbolising conformity with all applicable Community provisions and directives. An appropriate certificate concerning design and production of computers is required(such as ISO 9001).			
	Installation	Supplier must execute all necessary procedures to install the RDBMS from LOT 2, do basic functional testing and verification of functionalities.			

Read:

LOT 2 – Relation Database Management System

1. **Item Number**	**2.** **Specifications Required**	**3.** **Specifications Offered**	**4.** **Notes, remarks, ref to documentation**	**5.** **Evaluation Committee's notes** **YES/NO**	**1.** **Item Number**
1	**Relation Database Management System**	**Quantity: 1**			
	Manufacturer's name:				
	Product type, model:				
	Licenses	Type: per processor Quantity: for 2 x 2 Quad Core X86 CPU			
	Data Integrity	The RDBMS should provide an embedded mechanism for guaranteeing data integrity. It should provide use of integrity constraints and user defined event triggers			

	Stored program units	The RDBMS must provide a capability for creating stored program units. The database should support stored procedures.			
	Portability across platforms	The RDBMS should be able to be installed and operate on x86 architecture and Windows server or equivalent OS			
	Availability	The system should be able to effectively utilize clustered servers for availability.			
	Scalability	The system should be able to utilize clustered servers for increasing its power. This should be done in a manner, which does not require any changes in the applications, running on top of the database, nor in the layout of the database, data model and data itself.			
	XML Support	The RDBMS should provide native, embedded in the RDBMS XML support.			
	Object features	The database management system should provide capability for creating and using user defined object data types. The system should be able to present the existing relational structures in an object way.			
	Security	The RDBMS should be multi-user system. As such, it must provide all the standard security features, such as username/password authentication of the users and flexible rights management.			
	User errors protection	The RDBMS should be able to flash back in time and query the data in the way they have been specified time ago, within predefined time frame.			
	Partitioning	The RDBMS shall support the features of the partitioning.			

	Management tools	The RDBMS should provide a GUI tool or set of tools, enabling faster and easier database management. Command line management tools however should be also available, for executing management scripts in batch mode and ensuring better control			
	Standard Reporting tool	A generic reporting tool compatible with the RDBMS			
	Certificates	The offered product must bear a CE marking symbolising conformity with all applicable Community provisions and directives. An appropriate certificate concerning design and production of computers is required(such as ISO 9001).			
	Installation	Supplier must execute all necessary procedures to install the RDBMS from LOT 2, do basic functional testing and verification of functionalities.			

In the ANNEX II + III : TECHNICAL SPECIFICATIONS + TECHNICAL OFFER – Part I, launched on 24/09/2010, the following lines of the Lot 3 - Item 1, Item 2 and Item 6 are modified and replaced by the following text:

Instead of:

LOT 3 – IT and multimedia equipment

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
1	**Desktop PC**	**Quantity: 82**			
	Manufacturer's name:				
	Product type, model:				
	Processor	Dual core processor, 2.90 GHz,			
	RAM	4 GB, 1066 MHz DDR3			
	Hard Disk	320 Gb, SATA, 7200 rpm			
	Monitor	19" TFT, 5 ms, integrated power supply, analogue + DVI-D			
	Video	video card 128 MB RAM			
	Audio	Integrated audio 16 bit controller			
	Speakers	Separated or integrated in monitor			
	Network adapter	10/100/1000 Mbps			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Optical drive	DVD±RW Dual-Layer			
	Keyboard	HR, USB			
	Mouse	Optical, USB			
	Slots	2 x PCI, 1 x PCI-e x 16, 1 x PCI-e			
	Ports	8 x USB 2.0, VGA, DVI, parallel			
	Power supply	230V, 50Hz, 300 W			
	Chassis	Mini tower or Midi tower			
	Smart Card Reader	Integrated or external (USB powered) Read and Write all cards specified by ISO 7816 1,2,3 Protocols T=0,T=1,T=2 Transmission rates with the PC UHCI 60,000 Baud With the CARD 9,600 - 115,200 Baud Driver for Windows 2000/XP			
	Operating system	Windows XP Pro English (or Windows 7) + Latest Service Pack, preinstalled, RESTORE-CD and documentation included or equivalent			
	Other	Drivers for all devices. Rescue & Recovery solution preinstalled			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Manuals	User manual in Croatian and English for each computer set			
	Certificates	The offered product should bear a CE marking symbolizing conformity with all applicable Community provisions and directives. An appropriate certificate concerning design and production of computers is required(such as ISO 9001).			
	Installation of software	Contractor must install OS, Office package, antivirus software and other tools. All software, except for OS will be provided by the beneficiary and delivered to supplier after signing of the contract			
2	**Laptop**	**Quantity: 20**			
	Manufacturer's name:				
	Product type, model:				
	CPU	Dual core technology 2.4 Ghz,			
	Video	128 Mb, separate or shared			
	Audio	Integrated audio controller Integrated speakers			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Communication	56 kbps V.92 modem, Ethernet 10/100/1000 Mbps, WLAN 802.11b/g, Bluetooth			
	Memory	2 Gb, DDR2, 800 Mhz			
	HDD	250 GB			
	Optical	8x, DVD+/-RW Dual double layer			
	I/O Ports	4 x USB 2.0, VGA, Express Card, Memory card reader			
	Keyboard	Keyboard HR			
	Mouse	Optical mouse with wheel, USB			
	Display	15" TFT LCD			
	Smart Card Reader	Integrated or external (USB powered) Read and Write all cards specified by ISO 7816 1,2,3 Protocols T=0,T=1,T=2 Transmission rates with the PC UHCI 60,000 Baud With the CARD 9,600 - 115,200 Baud			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Weight	Max. 3 kg			
	Power Supply	AC adapter + battery 55 Wh			
	Additional	Docking station Carrying case			
	OS	Windows 7 preinstalled or equivalent			
	Certificates	The offered product should bear a CE marking symbolising conformity with all applicable Community provisions and directives. An appropriate certificate concerning design and production is required(such as ISO 9001).			
	Installation of software	Contractor must install Office package, antivirus software and other tools. All software, except for OS will be provided by the beneficiary and delivered to supplier after signing of the contract			
6	**Projector**	Quantity: 13			
	Manufacturer's name:				
	Product type, model:				

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Technology	DLP			
	Resolution	1024 x 768			
	Brightness	2600 ANSI lumens			
	Contrast	500 : 1			
	Inputs	S-Video, Composite, VGA			
	Format	4 : 3, 5 : 4, 16 : 9			
	Image size	1 – 5 m			
	Focusing distance	1.5 – 10 m			
	Control	Wireless and wired			
	Other	Adjustable ceiling support			
	Weight	Max. 3 kg			
	Manual	Croatian and English			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Installation	Supplier must execute all necessary procedures to install all equipment from LOT 3, establish interconnection between all parts of equipment, do basic functional testing and verification and provide all additional equipment to ensure fully working environment (cables, connectors, peripherals etc.) according to instructions provided by the beneficiary before delivery.			

Read:

LOT 3 – IT and multimedia equipment

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
1	**Desktop PC**	**Quantity: 82**			
	Manufacturer's name:				
	Product type, model:				
	Processor	Dual core processor, 2.90 GHz,			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	RAM	4 GB, 1066 MHz DDR3			
	Hard Disk	320 Gb, SATA, 7200 rpm			
	Monitor	19" TFT, 5 ms, integrated power supply, analogue + DVI-D			
	Video	video card 128 MB RAM			
	Audio	Integrated audio 16 bit controller			
	Speakers	Separated or integrated in monitor			
	Network adapter	10/100/1000 Mbps			
	Optical drive	DVD±RW Dual-Layer			
	Keyboard	HR, USB			
	Mouse	Optical, USB			
	Slots	2 x PCI, 1 x PCI-e x 16, 1 x PCI-e			
	Ports	8 x USB 2.0, VGA, DVI, parallel			
	Power supply	230V, 50Hz, 300 W			
	Chassis	Mini tower or Midi tower			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Smart Card Reader	Integrated or external (USB powered) Read and Write all cards specified by ISO 7816 1,2,3 Protocols T=0,T=1 Transmission rates with the PC UHCI 60,000 Baud With the CARD 9,600 - 115,200 Baud Driver for Windows 2000/XP			
	Operating system	Windows XP Pro English (or Windows 7) + Latest Service Pack, preinstalled, RESTORE-CD and documentation included or equivalent			
	Other	Drivers for all devices. Rescue & Recovery solution preinstalled			
	Manuals	User manual in Croatian and English for each computer set			
	Certificates	The offered product must bear a CE marking symbolizing conformity with all applicable Community provisions and directives. An appropriate certificate concerning design and production of computers is required(such as ISO 9001).			
	Installation of software	Contractor must install OS, Office package and antivirus software. All software, except for OS will be provided by the beneficiary and delivered to supplier after signing of the contract			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
2	**Laptop**	**Quantity: 20**			
	Manufacturer's name:				
	Product type, model:				
	CPU	Dual core technology 2.4 Ghz,			
	Video	128 Mb, separate or shared			
	Audio	Integrated audio controller Integrated speakers			
	Communication	56 kbps V.92 modem, Ethernet 10/100/1000 Mbps, WLAN 802.11b/g, Bluetooth			
	Memory	2 Gb, DDR2, 800 Mhz			
	HDD	250 GB			
	Optical	8x, DVD+/-RW Dual double layer			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	I/O Ports	4 x USB 2.0, VGA, Express Card, Memory card reader			
	Keyboard	Keyboard HR			
	Mouse	Optical mouse with wheel, USB			
	Display	15" TFT LCD			
	Smart Card Reader	Integrated or external (USB powered) Read and Write all cards specified by ISO 7816 1,2,3 Protocols T=0,T=1 Transmission rates with the PC UHCI 60,000 Baud With the CARD 9,600 - 115,200 Baud			
	Weight	Max. 3 kg			
	Power Supply	AC adapter + battery 55 Wh			
	Additional	Docking station Carrying case			
	OS	Windows 7 preinstalled or equivalent			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Certificates	The offered product must bear a CE marking symbolising conformity with all applicable Community provisions and directives. An appropriate certificate concerning design and production is required(such as ISO 9001).			
	Installation of software	Contractor must install Office package, antivirus software. All software, except for OS will be provided by the beneficiary and delivered to supplier after signing of the contract			
6	**Projector**	Quantity: 13			
	Manufacturer's name:				
	Product type, model:				
	Technology	DLP			
	Resolution	1024 x 768			
	Brightness	2600 ANSI lumens			
	Contrast	500 : 1			
	Inputs	S-Video, Composite, VGA			
	Format	4 : 3, 5 : 4, 16 : 9			
	Image size	1 – 5 m			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Focusing distance	1.5 – 10 m			
	Control	Wireless and wired			
	Other	Adjustable ceiling support			
	Weight	Max. 3 kg			
	Manual	Croatian and English			
	Certificates	The offered product must bear a CE marking symbolising conformity with all applicable Community provisions and directives. An appropriate certificate concerning design and production is required(such as ISO 9001).			
	Installation	Supplier must execute all necessary procedures to install all equipment from LOT 3, establish interconnection between all parts of equipment, do basic functional testing and verification and provide all additional equipment to ensure fully working environment (cables, connectors, peripherals etc.) according to instructions provided by the beneficiary before delivery.			

In the ANNEX II + III : TECHNICAL SPECIFICATIONS + TECHNICAL OFFER – Part I, launched on 24/09/2010, the following lines of the Lot 4 - Item 1, Item 2, Item 3, Item 4, Item 5, Item 6, Item 7 and Item 8 are modified and replaced by the following text:

Instead of:

LOT 4 – Furniture for probation offices

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
1	**Office Desk**	**Quantity: 66**			
	Manufacturer's name:				
	Product type, model:				
	DIMENSIONS (in centimeters) L - 110-130 cm W - 70 -90 cm H - 70 - 80 cm				
	TABLET Made of chipboard.				
	Top panel laminate 0,8 mm + 25mm + ABS 3 mm; same pattern				
	desk legs wooden				
	COLOUR Cherry wood colour				
2	**Conference desk**	**Quantity: 12**			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Manufacturer's name:				
	Product type, model:				
	DIMENSIONS (in centimeters) L - 200 - 210 cm W - 90 - 100 cm H - 70-80 cm				
	TABLET Made of chipboard.				
	Top panel laminate 0,8 mm + 25mm + ABS 3mm; same pattern				
	Desk legs wooden				
	COLOUR -Cherry wood colour				
3	**Small cabinet with drawers fitted for the desks**	**Quantity: 66**			
	Manufacturer's name:				
	Product type, model:				

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	DIMENSIONS (in centimeters) L - 40 - 50 cm W - 50 - 60 cm H - 50 - 60 cm				
	CONSTRUCTION Made of chipboard.				
	Top panel laminate 0,8 mm 25mm + ABS 3mm; same pattern				
	desk legs wooden				
	COLOUR - Cherry wood colour				
4	**File cabinet**	**Quantity: 66**			
	Manufacturer's name:				
	Product type, model:				
	DIMENSIONS (in centimeters) L - 80 - 90 cm W - 40 - 50 cm H - 190 - 200 cm				
	CONSTRUCTION	Frame made of chipboard with ABS 3 mm			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
		Back of the shelf full 19 mm			
		Adjustable shelves			
		Bookshelf legs: height 10 cm			
		Sideways aluminum T-profile support			
		Central locking			
	COLOUR - Cherry wood colour				
5	**File cabinet with glass door**	**Quantity: 12**			
	Manufacturer's name:				
	Product type, model:				
	DIMENSION IN CENTIMETERS L - 80 - 90 cm; W - 40 - 50 cm; H - 190 - 200 cm				
	CONSTRUCTION	Frame made of chipboard with ABS 3 mm,			
		Back of the shelf full, 19 mm			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
		Adjustable shelves			
		Bookshelf legs: height 10 cm			
		Down the wooden door an up the glass door			
		Sideways aluminum T-profile support			
		Central locking			
	COLOUR - Cherry wood colour				
6	**File cabinet with adjustable shelves**	**Quantity: 66**			
	Manufacturer's name:				
	Product type, model:				
	DIMENSIONS IN CENTIMETERS L - 80 - 90 cm W - 40 - 50 cm H - 110 - 120 cm				

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	CONSTRUCTION:	Frame made of chipboard with ABS 3 mm,			
		Back of the shelf full, 19 mm			
		Adjustable shelves			
		Bookshelf legs: height 10 cm			
		Sideways aluminium support T-profile			
		Central locking			
	COLOUR - Cherry wood colour				
7	**Show-bookcase**	**Quantity: 40**			
	Manufacturer's name:				
	Product type, model:				
	DIMENSION IN CENTIMETERS L - 80 - 90 cm W - 40 - 50 cm H - 110 - 120 cm				
	- CONSTRUCTION	Frame made of chipboard with ABS 3 mm			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
		Back of the shelf full, 19 mm			
		Adjustable shelves			
		Bookshelf legs: height 10 cm			
		Without doors			
		Sideways aluminum T-profile support			
	COLOUR - Cherry wood colour				
8	**Conference chair**	**Quantity: 190**			
	Manufacturer's name:				
	Product type, model:				
	DIMENSION OF SEAT SURFACE IN CENTIMETERS min. 46 cm (depth) x 50cm (width)				
	HEIGHT - Adjustable				
	CONSTRUCTION	Armrests width 6 cm			

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
		Metal construction,			
		Textile seat and back			

Read:

LOT 4 – Furniture for probation offices

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
1	**Office Desk**	**Quantity: 66**			
	Manufacturer's name:				
	Product type, model:				
	DIMENSIONS (in centimeters) L - 110-130 cm W - 70 -90 cm H - 70 - 80 cm				

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	TABLET Made of chipboard.				
	Top panel laminate 0,6 mm + 25mm + ABS 2 mm; same pattern				
	desk legs wooden				
	COLOUR Cherry wood colour				
2	**Conference desk**	**Quantity: 12**			
	Manufacturer's name:				
	Product type, model:				
	DIMENSIONS (in centimeters) L - 200 - 210 cm W - 90 - 100 cm H - 70-80 cm				
	TABLET Made of chipboard.				
	Top panel laminate 0,6 mm + 25mm + ABS 2mm; same pattern				
	Desk legs wooden				

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	COLOUR -Cherry wood colour				
3	**Small cabinet with drawers fitted for the desks**	**Quantity: 66**			
	Manufacturer's name:				
	Product type, model:				
	DIMENSIONS (in centimeters) L - 40 - 50 cm W - 50 - 60 cm H - 50 - 60 cm				
	CONSTRUCTION Made of chipboard.				
	Top panel laminate 0,6 mm 25mm + ABS 2mm; same pattern				
	desk legs wooden				
	COLOUR - Cherry wood colour				
4	**File cabinet**	**Quantity: 66**			
	Manufacturer's name:				

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Product type, model:				
	DIMENSIONS (in centimeters) L - 80 - 90 cm W - 40 - 50 cm H - 190 - 200 cm				
	CONSTRUCTION	Frame made of chipboard with ABS 2 mm			
		Back of the shelf full 18 mm			
		Adjustable shelves			
		Bookshelf legs: height 10 cm			
		Sideways aluminum T-profile support			
		Central locking			
	COLOUR - Cherry wood colour				
5	**File cabinet with glass door**	**Quantity: 12**			
	Manufacturer's name:				
	Product type, model:				

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	DIMENSION IN CENTIMETERS L - 80 - 90 cm; W - 40 - 50 cm; H - 190 - 200 cm				
	CONSTRUCTION	Frame made of chipboard with ABS 2 mm,			
		Back of the shelf full, 18 mm			
		Adjustable shelves			
		Bookshelf legs: height 10 cm			
		Down the wooden door an up the glass door			
		Sideways aluminum T-profile support			
		Central locking			
	COLOUR - Cherry wood colour				
6	**File cabinet with adjustable shelves**	**Quantity: 66**			
	Manufacturer's name:				

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	Product type, model:				
	DIMENSIONS IN CENTIMETERS L - 80 - 90 cm W - 40 - 50 cm H - 110 - 120 cm				
	CONSTRUCTION:	Frame made of chipboard with ABS 2 mm,			
		Back of the shelf full, 18 mm			
		Adjustable shelves			
		Bookshelf legs: height 10 cm			
		Sideways aluminium support T-profile			
		Central locking			
	COLOUR - Cherry wood colour				
7	**Show-bookcase**	**Quantity: 40**			
	Manufacturer's name:				
	Product type, model:				

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	DIMENSION IN CENTIMETERS L - 80 - 90 cm W - 40 - 50 cm H - 110 - 120 cm				
	- CONSTRUCTION	Frame made of chipboard with ABS 2 mm			
		Back of the shelf full, 18 mm			
		Adjustable shelves			
		Bookshelf legs: height 10 cm			
		Without doors			
		Sideways aluminum T-profile support			
	COLOUR - Cherry wood colour				
8	**Conference chair**	**Quantity: 190**			
	Manufacturer's name:				
	Product type, model:				

1. Item Number	2. Specifications Required		3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes YES/NO
	DIMENSION OF SEAT SURFACE IN CENTIMETERS min. 46 cm (depth) x 50cm (width)				
	CONSTRUCTION	Armrests width 6 cm			
		Metal construction,			
		Textile seat and back			